



Access Control & Integrated Security Solutions

- Access Control
- Telephone Entry
- Integrated Video
- VOIP Intercom Access
- Biometrics
- Mobile Access
- Photo Badging
- Pedestrian Turnstiles
- Wireless Lock Integration
- RF Transmitters



Table of Contents

Doors.NET™ Software..... Pages 4-6

- Alerts and Alarm Prioritization
- Reports on the Fly
- System Calendar
- Situation Manager
- Elevator Control
- Badging
- SMS and Email Messaging

VisualDOORS™ Software..... Page 7

- Graphically-enhanced Access Control Client

Telepathy™ Software..... Page 8

- Fully-customizable Graphical Map Editor utilizing the Doors.NET Platform

Doors.WEB™ Mobile Software..... Page 9

- Monitoring & basic control of your Doors.NET Access Control via most popular web browsers

Controllers Page 10-11

- NXT™ Controllers
- PXL-500 Tiger™ Controllers
- **NEW!** Neutron™ Economical Mini Controller
- **NEW!** Intelliprox Blue™ Bluetooth Controller

Readers and Expansion Boards Page 12

- **Coming Soon!** NXT M-Series™ Proximity Readers
- NXT™ Series RS-485 Proximity Readers
- MST™ Series Proximity Readers
- NXT-4x4™ Expansion Board

The i² Series™ Mini Appliances..... Page 13

- Appliances pre-loaded with Doors.NET Software

Entraguard™ Telephone Entry Page 14

- Integrated Telephone Entry & Access Control Units
- Four models to fit most applications

Wireless Locks Page 15

- Wireless lock solutions and integration, seamlessly running under a single, easy-to-use software package

Pedestrian Turnstiles Page 16

- Several high-quality models to choose from
- Indoor and outdoor solutions for pedestrian control

BioSync™ Biometric Fingerprint Readers..... Page 17

- Wiegand Output
- Compatible with most manufacturer's controllers
- Available in multiple configurations

System Options & Accessories..... Page 18

- Keri Key™ Vehicle Access
- Power Supplies
- Enclosures
- Communications Module
- Connectors & Converters
- Badging Printers

Access Cards & Credentials Page 19

- NXT and MS Format Cards & Credentials
- HID® ProxCard II® 26-Bit Functionally Equivalent Replacement and Add-On Credentials



We have been on hyper-speed in developing and deploying a host of new products that will make our offering both deeper and wider as it relates to the access control marketplace.

— Vince Deiuliis, Director of Sales and Marketing

NEW! From Keri...



NEUTRON™

Economical 1-Door Mini Access Controller

Up to 8 Neutron controllers can be networked together to provide a small system, with the option of "in" and "out" readers.

See more on Page 11...

Intelliprox® BLUE




See more on Page 11...

Doors.NET™ Access Control Software

.NET and SQL-Based, to Manage Systems from a Single Door to Thousands

Doors.NET manages Keri's TCP/IP-based NXT hardware, RS-485-based PXL-500 hardware, and additional 3rd party platforms

Doors.NET operates in a true Client/Server environment, accomplished without third-party Client license fees. Doors.NET supports our NXT two and four door controllers, as well as PXL-500, Entraguard telephone entry, and authentic Mercury hardware. NXT controllers connect seamlessly to an existing network, or you may create a new network utilizing simple CAT-5/6 cable. Once connected, an intuitive, one-button auto-configuration process via embedded MAC addresses facilitates system set-up.




Doors.NET is a powerful system that is simple to program and use, with useful features that will help you better manage your security needs.

The Features...

- Native Microsoft .NET Application provides speed and security, and scales from small to large systems
- Client/Server Architecture provides Multiple Concurrent Operators across multiple sites
- Uses Stored Procedures for fast and reliable database communication
- Built-in Digital Video Recording and Live Viewing for up to 4 cameras- or more with optional additional camera licenses
- Integrated Photo Badging, plus Alarm Monitoring and Prioritization, Emergency Lockdown, Email and SMS Messaging, and a host of other features
- Many right-click menus for fast and easy command and control make software practically "drive-by-mouse"
- Built-in Report Generator, plus "Reports On The Fly"
- Automatic Weekly Database Backup


The Details...

ALERTS AND ALARM PRIORITIZATION




Icon	Status	Event Type	Priority	Timestamp (Server)	Device Type	Location	Message
	New Alert	Alarm	1	6/7/2012 2:15:24 PM	Intrusion	Lobby Glass Break	Monitor Point...
	In Progress	Alarm	1	6/7/2012 1:46:41 PM	Intrusion	Lobby Glass Break	Monitor Point...

- Alerts an operator to important events within a facility
- Uses door contacts, auxiliary inputs, and software events as triggers for the Alert, which can also execute automated procedures you design
- Operator can respond to Alerts via acknowledgement, suspension, clearance, and/or annotation
- Audible annunciation via assigned .WAV sound files
- View associated video immediately using Keri's Reflections Client




REPORTS ON THE FLY

- Reports and video clips on people, doors and other parameters
- Easily accessed information in various menus via right-click
- Reports may be formatted as PDFs or Excel files
- Run a Trace to view recent history, follow any activity as it occurs, or people as they move around



SYSTEM CALENDAR

- Scheduling Tools allow automatic execution of procedures, actions, and/or functions



Global Lock Type	Lock
Precedence	Lock
Hardware Control	Lockout (No Access, REX enabled)
Global Reset Type	Lockdown (No Access, REX disabled)

SITUATION MANAGER

- Instant **Emergency Lockdown** via mouse click, panic button, hardware activation, or reader/keypad
- Advanced Situation Manager can be customized to automatically switch system behavior to predefined parameters

“ I can't thank Keri enough for the fine products and professionalism.

— Paul Petty,
Liberty Lock and Key

Continued on the next page...

Doors.NET™ Access Control Software

.NET and SQL-Based, to Manage Systems from a Single Door to Thousands

Continued from previous page




BADGING

- Doors.NET badging option allows for the design and printing of custom photo IDs on proximity credentials or other forms of plastic




SMS AND EMAIL MESSAGING

- Notification of critical events via email or SMS message (text)




ELEVATOR CONTROL

- Manages accessibility to pre-determined floors, with floor-select if needed



Modern, IT-Friendly System Architecture

- TCP/IP-based NXT controllers hang right on the network
- Software designed natively in Microsoft .NET
- Utilizes Microsoft SQL database
- Secure Client/Server architecture
- Very low bandwidth requirements
- Supports Microsoft Active Directory interface
- Microsoft SQL Client license fees rarely required
- Also supports PXL Hardware family, as well as Entraguard Telephone Entry and Wireless Locks
- Automatic database backup



Visual DOORS™

Graphically-Enhanced Access Control Client



- Simple
- Easy To Train
- Easy To Learn

Graphically access the most commonly used features of Doors.NET™

VisualDOORS™ is Keri Systems' answer to those looking for an access control system with powerful software and abundant features, yet simplified, the way you've always envisioned it. VisualDOORS builds upon the strong foundation of Doors.NET and presents itself to the user in a clean and highly graphical, user interface.

VisualDOORS manages a traditional version of Doors.NET and is implemented as a "second steering wheel," metaphorically speaking. While operating within the VisualDOORS Client, most of the often-used access control features of Doors.NET are graphically presented and easily executed. If advanced features are required, the user can log out of VisualDOORS and log into the full interface, affecting whatever changes are necessary. Alternately, if a second Client license is purchased, users may operate simultaneously in both Clients and switch back and forth between Clients seamlessly.

Configurable/Available Features:

- Controller Setup:
(PXL, Entraguard, NXT, and MSC)
- Reader Setup
- Add, Edit and Delete:
 - Cardholders
 - Credentials
 - Time Schedules
 - Access Groups
- Assign Access Groups
- Add, Edit and Delete Holidays
- Temp Unlock, Lock, Unlock, Lockout, and Lockdown Doors
- Manage Auto-Unlock Time Schedules
- View Live Events
- Adjust Strike Time/Unlock Time
- Adjust Held-Open Time
- Configure and Monitor Door Contacts
- Interface with Enrollment Readers
- Manage First Person In
- Run the Report Wizard

“ I must say once again thank you for the excellent standards of service we received from Keri Systems ... to complete the remedial repairs and installation of replacement components to our Clients system.

— Paul Briggs, PSB Systems Ltd

Telepathy™

Graphical Map Client & Editor


Gives you total freedom to custom produce a graphical representation of your security requirements

Keri's **Telepathy™** is a powerful, new graphical mapping, command and control client that is enabled, free of charge, for a single site with the purchase of Keri's **Doors.NET™** access control software.

(A simple call to Keri's in-house support group is all that's required to get a license modified to include Telepathy functionality.)

Telepathy gives you, at a glance, graphical representation of critical system information such as:

- Door Forced or Held Open
- Hardware Offline
- Inputs in Alert State



Sophisticated, customized actions can be triggered with the click of a mouse, allowing instantaneous action to meet a variety of threats.

The Map Diagram Editor lets you easily create, edit, and save images of your facility. The system administrator can easily create new, customized icons and animations for specific needs. The Map Client allows you to link sensors, readers and outputs to the shapes you have created with the editor. The system administrator can easily create new, customized icons, and animations for specific needs.

Features:

- Display aerial, exterior, or cross-sectional views of your buildings along with individual floor plans to provide a comprehensive visualization of your system
- Interactive status icons notify Operator to important pre-defined alert conditions
- Control of hardware via icons that are linked to doors, inputs etc.
- Initiate pre-configured Situation Manager actions such as Global Unlock or Emergency Lockdown
- Interfaces with Access Control, Roll Call and Mustering, Video, Intrusion, and Fire Systems
- Manage multiple sites from one Client
- View and act on current alerts
- View historical event information
- Customizable dynamic sensor icons
- Animated alerts with sound to ensure you don't miss an event, and can be configured to require a password
- Interface with Enrollment Readers
- Manage First Person In
- Run the Report Wizard

Doors.WEB™

Mobile Monitoring & Basic Control Interface



Monitoring and basic control of *Doors.NET* Access Control Systems via most popular web browsers

Doors.WEB provides a remote connection to your system from any mobile device. In the event of lost cards, problem employees, or abusive residents, it is possible to quickly remove or modify a party's credential remotely. They can be added or removed from the system irrespective of the administrator's location as long as *Doors.WEB* has an internet connection.

Doors.WEB provides for basic system monitoring including the control of individual doors or global functions like Lockdown or Global Unlock.

Features:

- Add, edit, and remove cardholders and/or credentials
- Unlock, lock, and temporarily unlock any door
- Restore supported doors to original schedules
- Initiate a Global Lock/Global Unlock with options to display a message on all other connected Clients
- Edit cardholder information
- Supported by recent versions of most popular web browsers
- No App download required
- View live events as they occur

“ *Within less than 30 seconds I was talking to a LIVE person who was actually trying to help me... and working through my problem... Within a very short period of time the system was back up and running.*

— Michael Fay, First Security


Controllers



NXT™ Controller

Keri's NXT series of access controllers, provide direct Ethernet connectivity (no LAN adapters) and TC/IP communications to a dedicated or shared network. Two and four-door versions are available with optional *Mercury® Powered Firmware*. (See below)

- On-board TCP/IP networking
- Utilizes existing networks or dedicated CAT-5/6 cabling
- "Flash" programmable and re-programmable for easy upgrades
- Available I/O expansion boards, with powerful logical functions in Doors.NET software
- Supports one-button auto-configuration process with embedded MAC address
- NXT 4-wire readers are fully supervised with encrypted data between cards/readers
- Up to 48,000 card capacity
- Two-year "no questions asked" warranty



PXL-500 Tiger™ Controller

The PXL-500 controller has all of the functionality needed to manage a single door, alarm output, and 2-reader ports.

A second door and auxiliary I/O can be added via an SB-593 Satellite Expansion Board.

- 65,000 cardholder capacity with 3600 event buffer
- Serial, Modem, or TCP/IP Communication from PC to controller network
- RS-485 networking between controllers
- Simple one-button configuration with numeric LED addressing
- A full set of status LED's for simple diagnostics
- Available in Keri Proximity Format or 26-bit Wiegand
- Networkable up to 256 doors per site
- Two-year "no questions asked" warranty on PXL-500 and SB-593

Controllers

NEW!



Neutron™ Economical 1-Door Mini Controller

Up to 8 Neutron controllers can be networked together to provide a small system, with the option of “in” and “out” readers.

- Economical mini-controller for a single door
- Works exclusively with Keri’s Visual Doors™ software
- Networkable via RS-485 for up to 8 controllers
- Supports Keri NXT and NXT-E readers
- In/Out access using Keri’s a NXT-E reader in conjunction with a standard NXT reader
- 1000 credential capacity
- 4000 Event buffer (offline)
- Equipped with dedicated inputs for REX & Door Sense
- Form “C” Relay for door control
- Configurable for: Lock Time, Auto Unlock by time
- 8 Access Groups configurable per credential

NEW!

Intelliprox Blue™ 1-Door Bluetooth Controller

Economical, App-based 1-Door Controller manages one door with In/Out capability when using NXT Readers



- Offered in convenient kit form
- One reader included in kit, and second reader can be purchased separately
- 250 Cardholders, 2,500 Event Buffer
- Bluetooth® Connection from Intelliprox Blue App
- No monthly maintenance charges or App fees
- Door Held Open and Door Forced Open sensing
- RTE and Doors Switch connections
- Low power consumption
- Supports Android / iOS devices
- Simple installation tools and instructions
- CE, FCC, RCM, CE-Red and IC certifications Form “C” Relay for door control
- Configurable for: Lock Time, Auto Unlock by time

Readers & Expansion Boards

Coming Soon!

NXT-M Series™ Readers

13.56 MHz, NFC Smart Card Readers

For Use With NXT-M Series Proximity Credentials


These readers are priced significantly less than competing NFC or Smart Card readers. They work exclusively with 13.56 MHz MIFARE credentials, and communicate via RS-485 protocol to Keri's NXT-Series™ controllers.

- Sleek Attractive Packages
- Architecturally appealing design
- Beautiful blue, ambient back-lighting
- Available in the three most requested configurations
- Supported Credential Formats - MIFARE® ISO 14443A (Type A) NFC
- Extended wire runs permissible on 4-conductor, twisted-Shielded or CAT 5/6 Shielded



NXT 4X4™

- 4 Auxiliary Inputs and 4 Auxiliary Outputs per module
- Up to 4 modules (16 Inputs and Outputs) can be added per NXT-4D Controller, up to 2 modules (8 Inputs and 8 Outputs per NXT-2D Controller)
- Re-assignable, interchangeable with controller's door I/O
- 4-State Supervision on Inputs
- Can be used for Door-Forced and Door-Held-Open Alarms as well as Auxiliary REX Inputs, Latch Integrity, Bond Sensor, or other general purpose functions
- Status Indicator LEDs for power, communication, and relay position
- Quick Disconnect Connectors
- Locking Metal Enclosure (optional without)
- Can reduce wiring by providing capability to move door management functions to the door location



Often Used for Elevator Control

NXT Series RS-485™ Readers



Also able to read HID 125 KHz credentials!

Keri's NXT Series Readers communicate with NXT Controllers via RS-485 to provide superior performance – better read range, reader supervision by the controller, and significantly longer cable runs. No duplicated card numbers. Lifetime warranty.

- NXT-1R Euro-Mount Proximity Reader
- NXT-3R Mullion (door frame) Proximity Reader
- NXT-5R Wall Switch Proximity Reader
- NXT-6RK Reader and Keypad

* For compatibility with Wiegand-output readers, use NXT-WI Wiegand Interface Module. For MS Series Reader compatibility with NXT controllers, use NXT-RM3 Reader Interface Module.

MS Series™ Proximity Readers

- Compatible with PXL-500P Tiger Controller
- Lifetime warranty
- No duplicated card numbers
- Tri-color LED and piezo tone confirmation
- MS-3000 Mullion (door frame)
- MS-5000 Single Gang (wall switch)
- MS-7000 Extended Range
- MS-4000 Vandal Resistant



The i² Series™

Pre-Loaded Mini Appliances



The i² Series Mini-Appliance Features:

- Ultra-compact size, pre-loaded with Doors.NET Access Control Software
- No waiting for software to install
- Windows®, .NET, and security updates will no longer be a start-up issue.
- Saves the installer time, money, and hassle
- Eliminates errors and variability found in customer-provided or off-the-shelf PCs
- Turn it on and discover your controllers, then start programming immediately
- Small, quiet, IT-friendly/ready package with 4th generation Intel processor
- Comes with keyboard, mouse, and a pedestal base for vertical mounting
- Comes with Keri's software support and maintenance, included at no charge for the first two years
- Choose the i2 version that suits your needs (see descriptions to the right)

Keri's i² Series Appliances come with software pre-installed and pre-licensed, ready to manage an access control system

The **i² Appliance Edition** is pre-loaded with **Doors.NET Appliance Edition Software** and comes ready to handle up to 64 readers and 3,000 credentials. The Appliance Edition comes with 8GB RAM and 120 GB SSD drive.

The **i² Plus Edition** is pre-loaded with **Doors.NET Standard Edition Software** and is capable of managing systems of up to 256 readers and up to 10,000 credentials, and comes with 8GB RAM and a 1TB SATA III Hard Drive.

The **i² Pro Edition** is pre-loaded with **Doors.NET Professional Edition Software** and is capable of managing systems of 512+ readers and up to one million credentials, and comes with 8GB RAM and a 1TB SATA III Hard Drive ... PLUS a host of other high-end features.

The appliances also come pre-loaded with:

- Doors.NET Application Server
- Microsoft *SQL Express® Database

Selectable gateways allow the appliances to connect to any Keri controller type:

- NXT
- Mercury® Powered NXT
- PXL-500

*Windows and SQL Express are registered trademarks of the Microsoft Corporation in the US and/or other countries.



Keri Systems is the choice, and the company to work with. Great products with great technical support. Keep up the good work.

— Trevor Ng
Walker Safety Products Pte Ltd

Entraguard™

Integrated Telephone Entry & Access Control

Entraguard offers residential and office buildings, as well as gated communities, the features of sophisticated access control and telephone entry, all managed by Keri's **Doors.NET** software. Our telephone entry units bring you the latest in design, installation, flexibility, and convenience of use. Included are large directory displays and larger buttons on a bright, LED illuminated keypad.

The Entraguard Platinum™



The **Platinum** has the largest capacity and biggest display Keri offers. With 5000 tenant capacity there is more than enough power to handle any large project.

- Durable and weather-resistant units with tough, 14-gauge stainless steel enclosures, dual mylar speakers and double locks
- Options: Flush-mount kit, hood, camera, and handset
- Units can be fitted with a PXL-500 Tiger controller and SB-593 expansion board, or one of Keri's NXT controllers to provide local access control capabilities

The Entraguard Silver™



The **Silver**, with its extra-large 4-line display and 750 tenant capacity, shares the same platform and footprint as the Platinum and is priced well below other competitive systems on the market.



The Entraguard Titanium™

The **Titanium** provides 250 tenant capacity and a 4-line LCD display in a small attractive package, at a very affordable price.

- Full access control functionality, reporting schemes, and administration tools
- Reduced footprint allows mounting in tight spaces
- Rugged stainless steel enclosure with built-in hood
- Programmable with 3 rotating messages

The EGS-WUPP™


The **WUPP** is a pre-configured, walk-up telephone entry package for common applications.

- Full-sized footprint and a large 4-line LCD
- Designed for quick tenant access via card read, while providing keypad-calling option for visitors
- Simplified, preconfigured installation scheme
- Programming options include direct-connect, modem or TCP/IP
- Power supply, communications, and door strike are the only required connections





Wireless Lock Integration

Seamlessly Running Under A Single Easy-To-Use Software Package



Together, Keri Systems and Allegion can provide solutions to all your wireless locking requirements.



Keri Systems, as an Allegion Alliance Partner, offers one most complete product support offerings in the industry all while at a very low cost of ownership to the end user or property manager.

For 'Online' locking solutions, *Doors.NET™* provides a full feature integration and high capacity of locks per access control panel for the AD300 Hardwired Locks, AD400 Wireless Locks, NDE BLE Locks and LE BLE Locks.

Keri's Aetheros Web Portal provides easy configuration, cardholder enrollment, and management of the No Tour or "Offline" locking solutions such as the Control Deadbolt and Interconnected locks, NDE No Tour and Wi-Fi Scheduled locks, and the LE No Tour and Wi-Fi Scheduled locks.

Pedestrian Turnstiles

Innovative, Integrated and Automated Turnstiles

Pedestrian Turnstile Solutions for public transport, fare collection and as part of an overall Access Control System

Keri is proud to announce our exclusive North American distribution agreement with **LOT Group** to handle their quality line of luxury turnstiles. These fine turnstiles can be ordered complete with Keri controllers mounted and configured, ready to become part of an overall Keri Access System. They can also be used with other control equipment through a simple relay interface. Consider turnstiles for applications involving transportation, toll collection and higher-level physical security.

- Many styles to select from, all designed and manufactured by a skilled team of experts
- Exceptional quality and fine finishes
- Turnstiles can be equipped with 125 kHz RFID or 13.56 MHz MIFARE® card readers
- Industry best 2-year warranty



Castle

- Perfect combination of simplicity and reliability
- Cost-effective with basic functionality
- Environment resistant, designed especially for outdoor use



Calisto

- Indicators are clearly visible at different angles
- Running lights indication highlights the passage direction
- Anti-panic function opens turnstile bars to free passage in emergencies




Porta

- Luxury flap turnstile with elegant design
- Porta-SCP modification for the disabled
- Optional bestselling "Gold Titanium Nitride" coating



Eco

- Compact tripod
- Ideal solution to provide access control at small enterprises such as offices and banks



Defender

- Reliable and robust hardware
- X-type rotor ensures 100% control of access
- Environment resistant, designed especially for outdoor use



BioSync™


Biometric Fingerprint Readers

- Supported on all Keri Wiegand Controller Types
- Multiple Configurations
- Multiple Reader/Card Technologies

BioSync™ biometric fingerprint readers are available in fingerprint-only, fingerprint + card, and fingerprint + keypad versions, and come in attractive and unobtrusive packages.

Typically used in higher security applications, they can be used either for primary user identification (fingerprint-only) or for secondary verification based on initial use of a card or PIN. BioSync Readers are compatible with Keri's NXT controllers with an NXT-WI Wiegand Interface, PXL-500W Tiger Controller, and 3rd party controllers that accept Wiegand-type readers.

The readers contain an internal beeper and an LED bar to indicate fingerprint accepted and access granted/denied status for user feedback. Keypad and Card models may be used outdoors with appropriate covers. Fingerprint template sharing between readers is done using RS-485 networking, with an option for TCP/IP. Keri's BioManager software is used for enrollment and template.




Features:

- High-quality fingerprint readers in small, sleek, and attractive packages
- Available in fingerprint-only, fingerprint+ card, and fingerprint + PIN
- Card reader models available with Keri NXT + HID 125 KHz Proximity or MIFARE/DESFire capabilities
- Stores up to 9500 fingerprint templates
- Multi-color LED bar to indicate access status
- Compatible with Keri's NXT Controllers and PXL-500W Tiger Controller
- Industry standard Wiegand output for compatibility with most 3rd party access control systems
- **A total of 9 models available**
- Each model is available in 3 styles/capacities
 - 9500 fingerprint template, Wiegand-output for system use
 - 100 template Wiegand-output for system use (economy)
 - 100 template, stand-alone with door relay

“ With an increasingly educated consumer and an advanced set of expectations, it is through extensive technology-partner arrangements that Keri will continue to rise to each new expectation.

— Vince Deuliis,
Director of Sales and Marketing

System Options & Accessories



ENCLOSURE

KE-8

Keri's KE-8 enclosure facilitates the mounting of four PXL- 500's with SB-593 option boards or four NXT controllers in a convenient, secure metal enclosure (wall or IT rack-mountable).

UNIVERSAL DESKTOP ENROLLMENT READER

RDR-ENR1

Keri's desktop card-reader combines proximity and contactless technologies into a universal desktop reader for presentation enrollment at a computer location.



- Integrated with Doors.NET software
- Reads a variety of popular 3rd party 125 kHz proximity cards and 13.56 MHz smart cards
- Plugs directly into a PC's USB port

POWER SUPPLIES

Keri offers several power supplies perfectly matched to the NXT, PXL, and Entraguard hardware products.

KPS-3 with enclosure and power cables
2.8 AMP Single Output with Battery Charger (For back-up) provides an open frame power solution, with an compact footprint, providing more space and efficiency.



KPS-11

+12VDC@10A

Especially useful for IT rooms and other applications with centrally located controllers.




KPS-4-1 without enclosure

KPS-5-1 with enclosure

+12VDC@2.5A

Powers up to 4 doors of either PXL or NXT hardware.



AUTO-USB NETWORKING

USB-A

Provides the advantages of a TCP/IP-based system in an easy-to-configure, plug & play format. Using standard Ethernet components and wiring, AutoUSB requires no Ethernet knowledge or approval from most customers' IT Departments.



- Connects NXT Hardware via USB Port on PC
- Plug-and-Play connectivity and functionality
- All controller addressing done automatically
- Greatly simplifies setup and configuration for

SERIAL COMMUNICATIONS MODULE

SW-SCM

Connects PXL-500 Master Controller to PC's USB port, and comes with a 15'ft cable (4.57 meters)



LAN-PORT CONNECTOR

LAN-520-AESP


For connecting PXL-500 Master Controller to host computer via TCP/IP (shown mounted with NC-485X)



ETHERNET CONVERTER

NC-485 to RS-485

Pairs with and mounts on LAN-520-AESP to use Ethernet connectivity to bridge PXL-500 RS-485 network



Access Cards & Credentials

- **NXT-K:** Key-fob in Keri NXT Format
- **PKT-10X:** Key-fob in Keri MS Format
- **PSK-3:** Key-fob in 26-bit *Wiegand Format
- **NXT-C:** Standard card in Keri NXT Format
- **KC-10X:** Standard card in Keri MS Format
- **PSC-1:** Standard card in 26-bit *Wiegand Format
- **NXT-I:** PVC Imageable card in Keri NXT Format
- **MT-10X (P or M):** PVC Imageable card in Keri MS Format
- **PSM-2:** PVC Imageable card in 26-bit *Wiegand Format



REPLACEMENT AND ADD-ON CREDENTIALS

Functionally Equivalent to HID® ProxCard II® 26-Bit Credentials



- Proximity Key-Ring Tag- 1346AKHD
- Standard Light Proximity Card- 1326AKHD
- Multi-Technology Card- 1386AKHD-I

AP-10X ADHESIVE PROXIMITY DEVICE

Keri's AP-10X Adhesive Proximity Device turns your familiar personal items into proximity credentials.



**Wiegand format credentials can be ordered either in Farpointe Data Pyramid Format or in HID format.*

RF TRANSMITTER/VEHICLE ACCESS

Keri Key™ The **MS-1400** receiver and the **TM-20X & TM-40X** transmitters offer access and security in a sleek, cost effective package.

- Ideal for gated communities, private residences, and parking garages
- Revolutionary anti-cloning scheme provides unmatched security
- Adjustable read range up to 300 ft (90 m)
- Directly compatible with PXL-500P Tiger Controller, or NXT Controllers when used with NXT-RM3 Reader Interface
- Transmitters are available in 2-button and 4-button key-fobs
- Receiver has two channel output for control of 2 gates from a single receiver



We really appreciate Keri standing by their products and providing excellent support.

— Sean Phillips
Fidelity Burglar & Fire Alarm Company

Keri systems – your premium business partner

Although Keri Systems is known as a quality provider of reliable and powerful systems that are easy to install and operate, we are more than just a product provider. From pre-sale education and product specification to post sale training, Keri sets the standard for customer service and support.

Celebrating thirty years of steady growth in the access control marketplace, Keri is dedicated to supporting profitable, long-standing relationships with our dealers. We recognize that when they succeed, Keri succeeds. Many of Keri's employees have been with our company over a decade, and are long-time veterans of the industry.



Keri Systems Corporate Office

302 Enzo Drive
San Jose, CA 95138
Phone: 408-435-8400
Toll Free: 800-260-5265
Fax: 408-577-1792
Email: sales@kerisys.com
Web: www.kerisys.com

Keri Systems Latin America

Phone: +1 786 331 8775 (International)
Latin America Main Office:
+52 33 3826 9113 (Mexico)
Email: kerilasales@kerisys.com

Keri Systems Europe

Phone: +44 (0) 1763 273243
Fax: +44 (0) 1763 274106
Email: sales@kerisystems.co.uk

Keri Systems Middle East

Phone: +971 4 3232 877
email: salesme@kerisys.com

Contact us or one of our business partners today to find out how to put Keri to work for you!



www.kerisys.com